# Walters, Vivian (SBD)

From:

Walters, Vivian (SBD)

Sent:

Wednesday, October 19, 2011 10:40 AM

To:

Bonilla, Lina (ISD)

Cc:

Johnson, Laurie (SBD); Porter, Albert (SBD)

Subject:

RQPM1200008

Attachments:

Responses-Verification.pdf

Lina,

GM!

SDB has completed its analysis of the subject project, and will be a recommendation of a "SBE Set-Aside". Find attached

responses from a "Verification of Availability" conducted on SBE firms certified in the required commodities and satisfying the stated requirements.

Please respond at your earliest convenience with a confirmation as to your concurrence or dissent with the aforementioned recommendations.

Advise as to any "errors, omissions, and/or misunderstandings".

Regards,

# Vivian O. Walters, Jr.

Contract Development Specialist II Sustainability, Planning & Economic Enhancement Dept. (SPEED) Small Business Development Division 111 NW 1st Street #19 Floor Miami, Fl 33128 walterv@miamidade.gov Office (305) 375-3138 | ■Fax (305) 375-3160

"For the New Project Review & Analysis Process"

click on our new website

"Delivering Excellence Every Day"

http://www.miamidade.gov/sba/about-project-review-and-analysis.asp

Miami-Dade County is a public entity subject to Chapter 119 of the Florida Status concerning public records. E-mail messages are covered under such laws and thus subject to disclosure.



From: Walters, Vivian (SBD)

Sent: Monday, October 17, 2011 8:51 AM

To: Bonilla, Lina (DPM) Cc: Johnson, Laurie (SBD)

Subject: RE: DBD DEPARTMENT INPUT.doc

Thank you!

# Vivian O. Walters, Jr.

Contract Development Specialist II
Sustainability, Planning & Economic Enhancement Dept. (SPEED)
Small Business Development Division
111 NW 1st Street #19 Floor
Miami, Fl 33128
walterv@miamidade.gov

Office (305) 375-3138 | Fax (305) 375-3160
"Delivering Excellence Every Day"

"For the New Project Review & Analysis Process"

click on our new website

http://www.miamidade.gov/sba/about-project-review-and-analysis.asp

Miami-Dade County is a public entity subject to Chapter 119 of the Florida Status concerning public records. E-mail messages are covered under such laws and thus subject to disclosure.



From: Bonilla, Lina (ISD)

**Sent:** Friday, October 14, 2011 3:44 PM

To: Walters, Vivian (SBD)

Subject: DBD DEPARTMENT INPUT.doc

Hi Vivian,

Attached is the revised input. Please advise if you need additional information. Thank you, LINA

# VERIFICATION OF AVAILABILITY

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

#### RQPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds Maintenance or Tree Trimming Services)

NAME OF SMALL BUSINESS ENTERPRISE		Certification Expires: Jan 2012 DATE			
20615 SN 114 PI	CITY	33189			
ADDRESS	CITY	ZIP CODE			
Telephone: 3 - 232 - 7557	Bonding Capacity:	<u>N/A</u>			
Francisco Altaro/	President				
PRINT NAME AND TITLE		10/1-1/21 DATE			
SIGNATURE OF COMPANY REP	RESENTATIVE	DATE			

REVISED 10/11/94

## **DESCRIPTION OF PROJECT**

Project Title:

Landscape and Lawn Maintenance

Project Number:

RQPM1200008

Department:

Procurement Management

**Estimated Cost**:

\$90,000.00

#### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, , pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

1

# 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

## 3.3 MAINTENANCE TASKS

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

#### A. Turf Mowing

- Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf area before mowing.
- Vendor(s) shall insure a smooth surface appearance without scalping or leaving any "missed" uncut grass. Mowing shall be from pavement to pavement including swales in public right-of-ways.
- 3. Vendor(s) shall use the following mowers:
  - · Reel mowers with rollers on Hybrid Bermuda grass
  - Reel mowers with rollers or rotary mowers on St. Augustine grass
  - Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the mower blade.
- Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as moved or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

#### B. <u>Turf Trimming</u>

- Vendor(s) shall trim the grass during, or as an immediate operation following mowing.
- 2. Vendor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system fixtures to assure their proper water delivery function.

#### C. Turf Edging

- Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- Turf edging as shrub beds, flower beds, ground cover beds, hedges, or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- 3. Vendor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- 5. Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

# D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as moving for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

# E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

#### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- Vendor(s) shall use clean sharp cutting tools designed for pruning; do not use machetes for any pruning or trimming.
- 4. Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ inches diameter.
- Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

#### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

#### H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Dead and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

#### I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, minimum in areas such as canal banks, drainage areas, or rip-rapped areas.

 Vendor(s) shall remove weeds from walkway curbs, gutter expansion joints, and along fence lines as needed or at least once a month, or as directed by the user department.

# J. <u>Disease and Pest Control (reporting requirements)</u>

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. <u>The report</u> shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)

Do you have prior experience satisfying the above stated? Yes X No

## 3.4 Fertilization

- 1. Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- Vendor(s) will insure that the area being fertilized is clearly marked, in order to
  prevent inconvenience or illness to individuals. All excess fertilizer must be
  removed before the job is considered complete.
- Fertilization will include the application of micronutrients (nitrogen, calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- 6. Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

#### A. <u>Turf Fertilization</u>

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

- Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fortilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- Minimum specification for annual fertilization of St. Augustine not under irrigation are:
  - Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

# B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

#### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

# Do you have prior experience satisfying the above stated? Yes 🐰 No .....

#### 3.6 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experience satisfying the above stated? Yes 🐰 No

\*This information is REQUIRED along with the signed Verification Form

#### QUESTIONNAIRE

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary market(s) served / serve.

serves Landscape, tree service, commercial and rendering propertys.

Provide a detailed description of at least three (3) comparable contracts which your firm has (either) ongoing or completed within the past five (5) years that relates to the scopes of work detailed in this project

- Name of Client:
   Contract duration
   Contact name and number
- b. Name of Client: Contract duration Contact name and number
- c. Name of Client: Contract duration Contact name and number

Please provide any additional information that supports your ability to quality for award of subject contract.

We are a licensed and Insured Company that works with Company and residential the Service we from the are as follows:

Tree and Paint Service Stump (emorg), complete lawn and Jardening Service.



To whom this may concern.

A & D the Gamening People have worked with several Barday's Complete Property Management companies for years. They have provided our companies with many services, example, Trimming, Earlieing, Irrigation repairs, etc. Filiperto Obregon and Francisco Alfaro, are confided and know what they are coing when they on the job. I would recommend A & D to any companies that are locking for a new outlook in the outside purposity meets. We enjoy the landscape projects and services that A & D has provided to our properties.

Simerely

Durae L. Gers Weich, Controller

To whom this may concern,

A and D landscaping has maintained my residence for the past several years. In this time they have provided me with the most professional and courteous service. They arrive promptly on my days of service and take extreme pride in the work they perform.

Francisco Alfaro are true experts when it comes to plant selection.

Francisco Alfaro are true experts when it comes to plant selection, fertilization, along with impation installation and requirements. They recently transformed my backyard into a creative tropical oasis that my husband and I enjoy very much. I highly recommend A and D to anyone tooking for a professional landscaping company with personable service for their landscaping needs.

Sincerely,

Carol Chanin

6095 North Bay Rd

Miami Beach, Fl. 33140

Mr. & Mrs. Daniel R. Lever 5540 Pine Tree Drive Miami Beach, Florida 33140

Via E-mail: orange2greenlcaf@vahon.com

Mr. Francisco Alfaro A&D The Cantening People, Inc. PH. (305) 232-7559 FAN:(305) 232-6073

Dear Mr. Alfaro:

I am writing to thank you for your great service this past year. As you know, movife and I went through two different landscapers before retaining your services. The prior landscaping companies showed very little interest in 'rowning' their work. We had countless problems with yard maintenance and the sprinkler system. Your team adopted those problems, the authorished work and improperly completed work. In a matter of months, you turned everything around.

burther, as you know, my yard needed a complete overheal - new grass, repairs to an oun-dated sprinkler system, said the removal of diseased trees. You and vour team always completed work quickly and correctly, never going over budget. When page of the grass did not survive, you stood by your work and replaced it at no cost to me. I greatly appreciate your hard work and professionalism.

Regards

David & Lover

# A&D THE GARDENING PEOPLE, Inc.

Office: (305)232-7559 Francisco: (786)236-0609 Fax: (305) 232-0073 orange?greenleaf@yahoo.com www.adgardening.com

Detail description of 3 contracts, witch our company completed.

- 1. 08/10/11- Villas of St Agnes Condo.330 NW 19th Terr unit 61 Miami FL 331361
  - Live oak 4 Fox tail palms and 7 Green button wood, to be transplanted.
- 2. 11/04/10- Pinc Apple Building. 653 Michigan Ave Miami Beach FL 33139
  - 3 Blue Tango Bromeliad 3 gal .Planted
  - 3 Lady Palm 3 gal
  - 21 Alamanda (10 Yellow and 11 Purple)
  - 9 Ruellia Bush 1-3 gal
  - 33 Purple Lantana I gal
  - 102 of Landscape woods /- Ribar Included and concrete screening sand to sit the woods
  - ½ Yard Fertilizer soil
- 3. 05/17/10- Blue Sky/Riviera Arms-732 Euclid Ave Miami Beach Fl 33139
  - Ficus to be replace by south of fence (city walkway)
  - -8 Ficus 15 gal 4-6'
    - Dripping system for irrigation to three planter pot's
  - Front court yard / South planter:
  - -120 Green Liriope Bed Note: Transplant the existing ones on north side to the south side of the court yard.
  - Front court yard / North planter:
  - -1 Fish Tail palm 6'-8' 25 gal
    - 160 Dwarf Mondo Grass bed
  - Two stump to be removed on north of building planter
  - Mulch
  - 140 bags of Pine Bark mulch

# Walters, Vivian (SBD)

From:

A & D The Gardening People [orange2greenleaf@yahoo.com]

Sent:

Friday, October 14, 2011 12:45 PM

To:

Walters, Vivian (SBD)


Subject:

A&D THE GARDENING PEOPLE, INC.-Verification of availability form.

Attachments:

V.F.jpg; V.F (1).jpg; V.F (2).jpg; V.F (3).jpg; V.F (4).jpg; V.F (5).jpg; V.F (6).jpg; V.F (7).jpg; V.F (8).jpg; V.F (9).jpg; V.F (10).jpg; V.F (11).jpg; V.F (12).jpg

A&D THE GARDENING PEOPLE, INC. 20615 SW 114 PI Miami FI 33189 Secretary-Dailys PH. (305) 232-7559 FAX:(305) 232-0073 Landscaper-Francisco (786)236-0609





October 14, 2011

To: SBE Firms

Re: Landscape and Lawn Maintenance

Project No.: RQPM1200008

The above-referenced project is being considered for a Set-Aside (for) competition solely amongst Small Business Enterprise (SBE) firms. If you are interested in participating as a SBE Prime Contractor to perform work in connection with this project, please complete and return the attached Verification of Availability form (answering all the questions listed as well as other requested information), by 10:00am, Wednesday October 19, 2011.

Please review the attached project description and requirements. These specifications are being reviewed and are subject to change.

The <u>Verification of Availability form and required examples of previous work</u> may be sent via facsimile transmission (305) 375-3160 or email to walterv@miamidade.gov. If you have any questions, please contact me at (305) 375-3138.

Sincerely,

Vivian O. Walters, Jr.,

Contract Development Specialist 2

Business and Professional Development Division

Attachments

## **VERIFICATION OF AVAILABILITY**

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds

  Maintenance or Tree Trimming Services)

Suncoast Nursery STIKI NAME OF SMALL BUSINESS ENTER	July The Certif	ication Expires: 73114 DATE
17350 SW 236 Street ADDRESS	Homestead	33031 ZIP CODE
Telephone: <u>305 257 70</u> 70	Bonding Capacity:	<u>N/A</u>
Norys Hayes, PRINT, NAME AND TITLE	Vice-Presid	lent
SIGNATURE OF COMPANY REPRI	_	10-15-11 DATE

REVISED 10/11/94

#### **DESCRIPTION OF PROJECT**

**Project Title:** 

Landscape and Lawn Maintenance

**Project Number:** 

RQPM1200008

**Department:** 

Procurement Management

**Estimated Cost:** 

\$90,000.00

#### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, , pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

<u>:</u>

# 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

#### 3.3 MAINTENANCE TASKS

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

#### A. Turf Mowing

- 1. Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf area before mowing.
- 2. Vendor(s) shall insure a smooth surface appearance without scalping or leaving any "missed" uncut grass. Mowing shall be from pavement to pavement including swales in public right-of-ways.
- 3. Vendor(s) shall use the following mowers:
  - Reel mowers with rollers on Hybrid Bermuda grass
  - Reel mowers with rollers or rotary mowers on St. Augustine grass
  - Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the mower blade.
- 5. Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- 6. Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- 7. Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- 8. Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as mowed or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

#### **B.** Turf Trimming

- Vendor(s) shall trim the grass during, or as an immediate operation following mowing.
- 2. Vendor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system fixtures to assure their proper water delivery function.

## C. Turf Edging

- 1. Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- 2. Turf edging as shrub beds, flower beds, ground cover beds, hedges, or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- 3. Vendor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- 5. Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

# D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

# E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

#### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- 2. Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Vendor(s) shall use clean sharp cutting tools designed for pruning; do <u>not</u> use machetes for any pruning or trimming.
- 4. Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- 5. Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ inches diameter.
- Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- 7. Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

## G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

#### H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Dead and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- 2. Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

#### I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- 1. Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, minimum in areas such as canal banks, drainage areas, or rip-rapped areas.

 Vendor(s) shall remove weeds from walkway curbs, gutter expansion joints, and along fence lines as needed or at least once a month, or as directed by the user department.

## J. Disease and Pest Control (reporting requirements)

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. <u>The report</u> shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- 5. Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)



#### 3.4 Fertilization

- 1. Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- 2. Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- 3. Vendor(s) will insure that the area being fertilized is clearly marked, in order to prevent inconvenience or illness to individuals. All excess fertilizer must be removed before the job is considered complete.
- 4. Fertilization will include the application of micronutrients (nitrogen, calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- 5. Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- 6. Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

#### A. Turf Fertilization

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

- 1. Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- 2. Minimum specification for annual fertilization of St. Augustine not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

# B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

#### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

# Do you have prior experience satisfying the above stated? Yes No \_\_\_\_

#### 3.5 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - 2. Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experience satisfying the above sta	4. 30 37 / 31.
are the time prior captificate amorphisms are acceptant	

\*This information is REQUIRED along with the signed Verification Form

# **QUESTIONNAIRE**

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary market(s)
served/serve.
SunCoast Nulsenge (1/ki Huts, Inc. has been in existence for over
SunCoast Nuisary & Tiki Huts, Inc. has been in existence for over 10 years. Among the primary markets some are: landscaping lawn maintenance, tree trimming pruning, Pest Control, Fethlication, etc.
the state of the s
Provide a detailed description of at least three (3) comparable contracts which your firm has
(either) ongoing or completed within the past five (5) years that relates to the scopes of work
detailed in this project
None of Client, Allington Landera birra Pac.
Contract duration 31/10 to 31/51/0
a. Name of Client: Alligator Landscaping, Inc. Contract duration 3/1/10 to 3/15/10 Contact name and number Justo Naranjo Ph: 56/ 7/8-5560
b. Name of Client: Howard Park, LTD and Park Green, LTD
Contract duration 50 6 6 6
Contact name and number L.T Clayton Ph: 786 295 - 0044
Contract duration 3/18/08 - 4/09
c. Name of Client: Southeast Whities group, Inc.  Contract duration 3/18/08 - 4/09  Contact name and number Deric Rivera Ph. 786 255 3508
Denc Fiver 151. 100 205 3000
Please provide any additional information that supports your ability to quality for award of
subject contract.
See attachment
See University

# SUNCOAST NURSERY & TIKI HUTS, INC.

October 15, 2011

Department of Small Business Development Community Business Enterprise Program 111 NW 1st Street, 19th Floor Miami, FL 33128

Mr. Vivian Walters, Jr.

The purpose of this letter is to inform you that my company, SunCoast Nursery & Tiki Huts, Inc., has actively and normally been engaged in business for the services/ items being procured under this solicitation for over 10 years. We have all the necessary organization, experience, equipment and staff to properly fulfill all the conditions, requirements, and specifications required under this solicitation. As proof, I have enclosed a copy of all my certifications with the State of Florida. Should you have any questions regarding this matter, please feel free to contact me.

Respectfully,

Nor/ys Ha∰es, VP/Øwner

SunCoast Nursery & Tiki Huts, Inc.

This is to certify that:

**Norys Hayes** 

Certification # CC3 0310

is a duly qualified

**FNGLA Certifled Landscape Contractor** 

Expires: 12/31/2013

This is to certify that:

Norys Hayes

Certification # TC3 0194

is a duly qualified

FNGLA Certified Landscape Technician

Expires: 12/31/2013

Florida Department of Agriculture and Consumer Services

Pesticide Certification Office Commercial Applicator License License # CM20334

HAYES, NORYS

17350 SW 236 ST HOMESTEAD, FL 33031 Categories

6

\_ \_ \_

March 26, 2010

Expires: March 31, 2014

Signature of Licenset

CHARLES H. BRONSON, COMMISSIONER.

The abbve unlividual is licensed under the provisions of Chapter 487, F.S. to purchase and apply restricted use pesticides

This is to certify that:

Norys Hayes

Certification # HC3 6912

is a duly qualified

**FNGLA Certified Horticulture Professional** 

Expires: 12/31/2013



International Society of Arboriculture

# **CERTIFIED ARBORIST**

Norys Hayes

Certificate Number:

FL-6090A

**Expiration Date:** 

Dec 31, 2012

State of Florida
DEPARTMENT OF
ENVIRONMENTAL PROTECTION

**Norys Hayes** 

GV13083-1

GV13083

Trainee ID#

Certificate #

GREEN INDUSTRIES BEST MANAGEMENT PRACTICES
TRAINING PROGRAM



Office of the Mayor

August 4, 2011

# LETTER OF RECOMMENDATION

As Mayor of the City of Florida City, Florida, I wholeheartedly recommend Suncoast Nursery & Tiki Huts, Inc. for all your landscaping needs. Mr. Isaac Hayes and his team of dedicated professionals have done outstanding work in the Florida City and South Dade community.

Those who have used their services in our city have been emphatically pleased with the quality of their work.

Do not hesitate to contact me should you require additional information.

Sincerely,

OTIST WALLACE MAYOR

# HOWARD PARK, LTD

1615 NW 1<sup>st</sup> Ave Florida City, Florida 33034 Office: 786-295-0044 Fax: 305-246-5821

August 1, 2011

Re: Letter of Recommendation

Projects: 950-960 N.W. 15th Street, Florida City

1050-1070 N.W. 9th Ave., Florida City

# To whom it may concern:

I L.T. Clayton, President of Howard Park, LTD and Park Green, LTD recommend Suncoast Nursery & Tiki Huts, Inc. for all your landscaping needs. Mr. Isaac Hayes and his team have worked on several of my federally funded projects they are dedicated and professional. We have used their landscape, maintenance and clean-up services. I have been pleasantly pleased with the outstanding work and service they have provided.

Should you need additional information please contact our office.

Sincerely,

L.T. Clayton

President



**Small Business Development** 

111 NW 1 Street, 19<sup>th</sup> Floor Miami, Florida 33128 T 305-375-3111 F 305-375-3160

CERT. NO: 14622

Approval Date: 07/22/2011 - MICRO/SBE

Expiration Date: 07/31/2014

ANNUAL ANNIVERSARY: 07/22/2012

August 22, 2011

Ms. Norys Peerz-Hayes SUNCOAST NURSERY & TIKI HUTS, INC. 17350 SW 236th St Homestead, FL 33031-0000

Dear Ms. Peerz-Hayes:

The Department of Small Business Development (SBD) has completed the review of your application and attachments submitted for certification. Your firm is officially certified as a Micro/Small Business Enterprise (MICRO/SBE) in accordance with section 2-8.1.1.1.1 of the Code of Miami Dade County.

This certification is valid for three years provided there are no changes rendering your firm ineligible for certification. You are required to submit a "Continuing Eligibility Affidavit" annually with specific supporting documents on or before your Anniversary Date as listed above. You will be notified in advance of your firm's Anniversary Date. Failure to comply with the said responsibilities may result in immediate action to decertify your firm. Every three years you will receive a full recertification review that may include an onsite investigation; SBD will also notify you accordingly.

If at any time during the certification period, there is a material change in your firm, including, but not limited to ownership, officers, Director, scope of work being performed, daily operations, affiliations with other business (es) or physical location of the firm, you must notify this office in writing within (30) days. Notification should include supporting documentation. You will receive timely instructions from this office as to how you should proceed, if necessary.

Your company is certified in the following categories as listed below, affording you the opportunity to bid and participate on contracts with small business measures. Please note that the categories listed are very general and are used only to assist our customers in searching the directory for certified firms to meet contract needs. The directory for all certified firms can be accessed on the Miami-Dade County SBD website http://www.miamidade.gov/sba.

Thank you for doing business with Miami Dade County.

Sincerely

Penelope Townsley

Director

CATEGORIES: (Your firm may bid or participate on contracts only under these categories)
ARBORIST SERVICES (MICRO/SBE)
GROUNDS MAINTENANCE: MOWING, EDGING, PLANT (NOT TREE) TRIMMING, ETC. (MICRO/SBE)
LANDSCAPING (INCLUDING DESIGN, FERTILIZING, PLANTING, ETC., BUT NOT GROUNDS MAINTENANCE OR TREE
TRIMMING SERVICES) (MICRO/SBE)
TREE AND SHRUB REMOVAL SERVICES (MICRO/SBE)

cc: Patrice Hill, Certification Specialist



**Small Business Development** 

111 NW 1 Street, 19<sup>th</sup> Floor Miami, Florida 33128 T 305-375-3111 F 305-375-3160

CERT. NO: 14526 ANNIVERSARY DATE: 05/13/2012

May 16, 2011

Ms. Norys Peerz-Hayes SUNCOAST NURSERY & TIKI HUTS, INC. 17350 SW 236th St Homestead, FL 33031-0000

Dear Ms. Peerz-Hayes:

The Department of Small Business Development (SBD) has completed the review of your application and the attachments submitted for certification. Your firm is officially certified as a Disadvantaged Business Enterprise (DBE) in accordance with the State of Florida Unified Certification Program (UCP) approved by the U.S. Department of Transportation (FDOT) in the categories listed below. This certification affords your company the opportunity to participate in contracts throughout the State of Florida with DBE measures.

Your DBE certification requires you to complete a Continuing Eligibility affidavit annually. To ensure timely processing the Continuing Eligibility affidavit is accessible a http://www.miamidade.gov/sba/library/continuing\_eligibility\_package.pdf. A hard copy is available upon request and may be sent to you via mail or facsimile. Failure to complete and submit the required affidavit with the required supporting documents on or before your anniversary date may result in the removal of your company from the Florida DBE Unified Certification Program.

If any changes occur within your company during the certified period (such as ownership, address, telephone number, trade category, licensing, technical certification, bonding capacity, or if the business ceases to exist) you are required to notify this department within 30 days in writing. It is of critical importance that the current information regarding your company be maintained. All inquiries or changes related to this certification should be directed to Patrice Hill in the Certification Unit.

Should you have questions regarding your firm's certification, Patrice Hill will be pleased to assist you.

We look forward to your participation and success in Miami-Dade County's disadvantaged business enterprise programs.

Sincerely

Penélope Townsley

Director

CÄTEGORIES: (Your firm may bid or participate on contracts only under these categories) LANDSCAPING SERVICES (DBE)

cc: Patrice Hill, Certification Specialist

## **VERIFICATION OF AVAILABILITY**

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds
  Maintenance or Tree Trimming Services)

NAME OF SMALL BUSINESS ENTERPRISE

SOLUTION ADDRESS

Telephon 301 825-1712

Bonding Capacity: N/A

PRINT NAME AND TITLE

SIGNATURE OF COMPANY REPRESENTATIVE

DATE

Certification Expires: 100 28, 2012

DATE

Certification Expires: 100 28, 2012

DATE

DATE

**REVISED 10/11/94** 

## DESCRIPTION OF PROJECT

Project Title:

Landscape and Lawn Maintenance

**Project Number:** 

RQPM1200008

Department:

Procurement Management

**Estimated Cost:** 

\$90,000.00

#### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, , pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

<u>:</u>

# 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

#### 3.3 MAINTENANCE TASKS

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

#### A. Turf Mowing

- 1. Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf area before mowing.
- 2. Vendor(s) shall insure a smooth surface appearance without scalping or leaving any "missed" uncut grass. Mowing shall be from pavement to pavement including swales in public right-of-ways.
- 3. Vendor(s) shall use the following mowers:
  - · Reel mowers with rollers on Hybrid Bermuda grass
  - · Reel mowers with rollers or rotary mowers on St. Augustine grass
  - · Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the mower blade.
- 5. Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- 6. Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- 7. Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as mowed or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

#### B. Turf Trimming

- Vendor(s) shall trim the grass during, or as an immediate operation following mowing.
- 2. Vendor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system fixtures to assure their proper water delivery function.

#### C. Turf Edging

- Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- Turf edging as shrub beds, flower beds, ground cover beds, hedges, or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- 3. Vendor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- 5. Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

#### D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

# E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- 1. Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- 2. Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Vendor(s) shall use clean sharp cutting tools designed for pruning; do <u>not</u> use machetes for any pruning or trimming.
- 4. Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ inches diameter.
- 6. Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- 7. Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

#### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

# H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Dead and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- 2. Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

# I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- 1. Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, minimum in areas such as canal banks, drainage areas, or rip-rapped areas.

 Vendor(s) shall remove weeds from walkway curbs, gutter expansion joints, and along fence lines as needed or at least once a month, or as directed by the user department.

# J. <u>Disease and Pest Control (reporting requirements)</u>

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. <u>The report</u> shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- 5. Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)

Do you have prior experience satisfying the above stated? Yes X No

#### 3.4 Fertilization

- Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- Vendor(s) will insure that the area being fertilized is clearly marked, in order to
  prevent inconvenience or illness to individuals. All excess fertilizer must be
  removed before the job is considered complete.
- 4. Fertilization will include the application of micronutrients (nitrogen, calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- 6. Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

#### A. Turf Fertilization

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

- 1. Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- 2. Minimum specification for annual fertilization of St. Augustine not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

# B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

# C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

# Do you have prior experience satisfying the above stated? Yes 🎉 No 💎

# 3.5 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - 3. Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experience satisfying the above stated? Yes No......

\*This information is REQUIRED along with the signed Verification Form

# **QUESTIONNAIRE**

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary market(s) served / serve.
UE MOS
Provide a detailed description of at least three (3) comparable contracts which your firm has (either) ongoing or completed within the past five (5) years that relates to the scopes of work detailed in this project
a. Name of Client: City in dialegy Godens Contract duration  Contact name and number Warcos Prophy (305) 558-4114
b. Name of Client: City of North Boy Village Contract duration Since 2007- Prisent Contact name and number Sam Zamacona (305) 736-717
c. Name of Client: What of Polnetto Bay Contract duration 2007 Durant Contact name and number Fanny Gamora (305) 259-123-
Please provide any additional information that supports your ability to quality for award of subject contract.
Alminiments. The minting on stage an Dabonst, Cestified Past Control Tecnician, Cestified The Trimming with Ny 20 years of repairer.

	·		



onny's Total Landscaping Inc.

PROFESSIONAL LANDSCAPING & LAWN MAINTENANCE
19101 S. W. 108 Ave., unit #7, Miami, FL. 33157

Phone: 786-255-0878

Fax: 786-573-1359 E-mail: Nandity@bellsouth.net



# Fax Coversheet

To Company Nan	e: VIVIVIY	Multers	Fax #:(305)375	-3140
From: JUNNUIS	مذا بينا	ndscaping	Fax # (86) 57.	3-1359
Page: {   } of {	11		Date: 10 17/1	<u> </u>
Re: Project 井	DIBBIA	1300008	<b>.</b> [	
Comments:				
		:		
•				
		•		
		:		
•				
	! !			
		:		
	• •	i		
-		:		
		: - :	·	
	i ;			
Urgent []	For Review [	Please Comment	Please Reply	Please Recycle
• If you do not	t receive uli	pages indicated, pl	ease call us at (786)	255-0878

10/14/2011 11:19 PM FROM: Fax SBD TO: 997865731359 PAGE: 002 OF 011



October 14, 2011

To: SBE Firms

Re: Landscape and Lawn Maintenance

Project No.: RQPM1200008

The above-referenced project is being considered for a Set-Aside (for) competition solely amongst Small Business Enterprise (SBE) firms. If you are interested in participating as a SBE Prime Contractor to perform work in connection with this project, please complete and return the attached Verification of Availability form (answering all the questions listed as well as other requested information), by 10:00am, Wednesday October 19, 2011.

Please review the attached project description and requirements. These specifications are being reviewed and are subject to change.

The <u>Verification of Availability form and required examples of previous work</u> may be sent via facsimile transmission (305) 375-3160 or email to walterv@miamidade.gov. If you have any questions, please contact me at (305) 375-3138.

Sincerely,

Vivian O. Walters, Jr.,

Contract Development Specialist 2

Business and Professional Development Division

Attachments

10/14/201. :1:19 AP FROM: Fax SBD TO: 997865731359 FAGE: 003 OF 011

# VERIFICATION OF AVAILABILITY

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>T-1</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MIB. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

ROPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds
   Maintenance or Tree Trimming Services)

NAME OF SMALL BUSINESS ENTERPRI	La Certifi	cation Expires:   DATE	_15
NAME OF SMALL BUSINESS ENTERPRI	ISE	DAIL	
: :			
ADDRESS	Miami	33157	
ADDRESS	CITY	ZIP CODE	
Telephone: 756-255-0378  Robert Clavillani PRINT NAME AND TIFLE	Bonding Capacity:	<u>N/A</u>	
PRINT NAME AND TITLE			
falt	ENTATIVE	10-15-11 DATE	<del>-</del>

REVISED 10/11/94

10/14/2011 11:19 W FROM: Fax SBD TO: 997865731359 PAGE: 003 OF 011

#### VER FICATION OF AVAILABILITY

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 35128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

ROPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
  - 988-52 Landscaping (it cluding Design, Fertilizing, Planting, but not Grounds
     Maintenance or Tree Trimming Services)

NAME OF SMALL BUSINESS ENTERPR	USE Lac Certifi	ication Expires: 3 5 - 12 DATE
19101 SW 108 pm=	Miam)	33(5つ ZIP CODE
Telephone: 786-255-0378	Bonding Capacity:	<u>N/A</u>
Robert Clarington PRINT NAME AND TIME		
PRINT NAME AND TIPLE		
SIGNATURE OF COMPANY REPRESI	ENTATIVE	10-15-11 DATE

REVISED 10/11/94

10/14/2011 11:19 .M FROM: Pax SBD TO: 997865731359 PAGB: 004 OF 011

#### DESCRIPTION OF PROJECT

**Project Title:** 

Landscape and Lawn Maintenance

Project Number:

RQPM1200008

Department:

Procurement Management

**Estimated Cost:** 

\$90,000.00

#### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, , pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

#### 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

#### 3.3 MAINTENANCE TASKS

Vendor(s) shall perform 1.8 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

#### A. <u>Turf Mowing</u>

- Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf are a before mowing.
- Vendor(s) shall it sure a smooth surface appearance without scalping or leaving any "missed" uncut grass. Mowing shall be from pavement to pavement including swales in public right-of-ways.
- 3. Vendor(s) shall use the following mowers:
  - Reel mowers with rollers on Hybrid Bermuda grass
  - Reel mowers with rollers or rotary mowers on St. Augustine grass
  - · Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

10/14/2013 11:19 M FROM: Fax SBD TO: 997865731359 PAGE: 005 OF 011

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the mower blade.
- 5. Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- 6. Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- 7. Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as moved or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

#### B. Turf Trimming

- Vendor(s) shall trim the grass during, or as an immediate operation following mowing.
- 2. Vendor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system lixtures to assure their proper water delivery function.

#### C. Turf Edging

- Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- Turf edging as shrub beds, flower beds, ground cover beds, hedges, or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- Vendor(s) shall e ige the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- 5. Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

10/14/2011 11:19 M FROM: Fax SBD TO: 997865731359 PAGE: 006 OF 011

Dirt and deuris produced by edging or trimming will be removed and swept away from adjacent su faces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

#### D. Ground Cover Edging:

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encreach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and omarmental rocks shall be considered as ground cover.

#### E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

#### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches lover streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- 1. Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- 2. Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Vendor(s) shall use clean sharp cutting tools designed for pruning; do <u>not</u> use machetes for any pruning or trimming.
- 4. Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- 5. Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ inches diame'er.
- 6. Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- 7. Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

10/14/2011 11:19 AM FROM: Fax SBD TO: 997865731359 PAGE: 007 OF 013

#### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

#### H. Tree and Shrub Rep acement

Vendor(s) shall notify the user department immediately after discovery of the following:

- Dead and camaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- 2. Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

# I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, minimum in areas such as climal bands idea. Age areas of the rapped areas.

10/14/2011 11:19 .W FROM: Fax SBD TO: 997865731359 PAGE: 008 OF 011

4. Vendor(s) shall remove weeds from walkway curbs, gutter expansion joints, and along fence lines as needed or at least once a month, or as directed by the user department.

#### J. Disease and Pest Control (reporting requirements)

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. <u>The report</u> shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- 5. Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)

# Do you have printed printed attribute the above stated? Yes No

#### 3.4 Fertilization

- 1. Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- Vendor(s) will insure that the area being fertilized is clearly marked, in order to
  prevent inconvenience or illness to individuals. All excess fertilizer must be
  removed before the job is considered complete.
- 4. Fertilization will include the application of micronutrients (nitrogen, calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- 5. Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

#### A. Turf Fertilization

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Elemeda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Coor erative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

10/14/2011 11:19 .M FROM: Fax SBD TO: 997865731359 PAGE: 009 OF 011

- Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- 2. Minimum specification for annual fertilization of St. Augustine not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

#### B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

#### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than (n(1)) pounds for larger palms.

# Do you have print experies a satisfying the above stated? Yes: No.

#### 3.5 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - 2. Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

10/14/2011 11:19 1M FROM: Fax 580 TO: 997865731359 PAGE: 010 OF 011

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experse he valisitying the above stated? Yes P No

\*This information is R MIRED along with the signed Verification Form

10/14/20:3 11:19 JM FROM: Fax SED TO: 997865731359 PAGE: 011 OF 011

# **QUESTIONNAIRE**

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary market(s) served / serve. 25 UEXES	_
	<del>-</del>
Provide a detailed description of at least three (3) comparable contracts which your firm has (either) ongoing or completed within the past five (5) years that relates to the scopes of work detailed in this project	
a. Name of Client: City of Fort Laudardal E Contract duration Tylears Contact name and number Valeri E Flore Stal (954)—	828-5650
b. Name of Client: City DT LAUGITHIII Charles Cyle	r 1)730— 4231
c. Name of Client: MICHAI Dadl County Contract duration 5 years Contact name and number Lester Shorter (305)—	10UU-5320
Please provide any additional information that supports your ability to quality for award of subject contract.	W-14 33010
	_

### **VERIFICATION OF AVAILABILITY**

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds
   Maintenance or Tree Trimming Services)

Leonzie Jones Trucking NAME OF SMALL BUSINESS ENTER	LNC Certifi	cation Expires: DI/OI/2012
NAME OF SMALL BUSINESS ENTER	PRISE	' D'ATE'
8500 NW 22 AVE	MIAMI, FL	33147
ADDRESS	CITY	ZIP CODE
Telephone: (305) 691-1704	Bonding Capacity:	<u>N/A</u>
Leonzie Jones, PRINT NAME AND TITLE	President	<u></u>
PRINT NAME AND TITLE		
Leoni Jone		10 17-11
SIGNATURE OF COMPANY REPRI	ESENTATIVE	DATE

**REVISED 10/11/94** 

#### **DESCRIPTION OF PROJECT**

**Project Title:** 

Landscape and Lawn Maintenance

**Project Number:** 

RQPM1200008

**Department:** 

Procurement Management

**Estimated Cost:** 

\$90,000.00

#### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, , pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

<u>:</u>

#### 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

#### 3.3 MAINTENANCE TASKS

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

#### A. Turf Mowing

- 1. Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf area before mowing.
- 2. Vendor(s) shall insure a smooth surface appearance without scalping or leaving any "missed" uncut grass. Mowing shall be from pavement to pavement including swales in public right-of-ways.
- 3. Vendor(s) shall use the following mowers:
  - · Reel mowers with rollers on Hybrid Bermuda grass
  - · Reel mowers with rollers or rotary mowers on St. Augustine grass
  - Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the mower blade.
- 5. Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- 6. Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- 7. Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- 8. Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as mowed or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

#### B. Turf Trimming

- 1. Vendor(s) shall trim the grass during, or as an immediate operation following mowing.
- 2. Vendor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system fixtures to assure their proper water delivery function.

#### C. Turf Edging

- 1. Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- Turf edging as shrub beds, flower beds, ground cover beds, hedges, or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- 3. Vendor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- 5. Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

6. Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

### D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

#### E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

#### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- 1. Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- 2. Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Vendor(s) shall use clean sharp cutting tools designed for pruning; do <u>not</u> use machetes for any pruning or trimming.
- Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ inches diameter.
- 6. Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- 7. Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

A . . .

#### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

#### H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Dead and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- 2. Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

#### I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- 1. Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, <u>minimum</u> in areas such as canal banks, drainage areas, or rip-rapped areas.

4. Vendor(s) shall remove weeds from walkway curbs, gutter expansion joints, and along fence lines as needed or at least once a month, or as directed by the user department.

# J. Disease and Pest Control (reporting requirements)

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. <u>The report</u> shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- 5. Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)

# Do you have prior experience satisfying the above stated? Yes \_\_\_\_\_No \_\_\_\_\_

#### 3.4 Fertilization

- Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- 2. Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- 3. Vendor(s) will insure that the area being fertilized is clearly marked, in order to prevent inconvenience or illness to individuals. All excess fertilizer must be removed before the job is considered complete.
- 4. Fertilization will include the application of micronutrients (nitrogen, calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- 5. Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- 6. Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

#### A. Turf Fertilization

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

- 1. Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- 2. Minimum specification for annual fertilization of St. Augustine not under irrigation
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

# B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

#### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

#### Do you have prior experience satisfying the above stated? Yes No

# 3.5 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - 2. Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - · Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experience satisfying the above stated? Yes X No

\*This information is REQUIRED along with the signed Verification Form

# **QUESTIONNAIRE**

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

		• • • • • • • • • • • • • • • • • • • •
	•	

# **VERIFICATION OF AVAILABILITY**

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER: Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT: \$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds
  Maintenance or Tree Trimming Services)

USINTER	ned co	rp. Cert	ification Expires:	1311	2012
NAME OF SMALL BUS	SINESS ENTERPR	ISE		DATE	
17832 SILI	17LOST.	miami	FL 3	3187	_
ADDRESS	·	CITY	ZIP C	ODE	-
Telephone: <u>305 25</u>	53.0330	Bonding Capacity:	<u>N/A</u>		
Juan n	NO 550r	7 - Pres	siden	+	
PRINT NAME A	ND TITLE				•
les We	1	· .	10/18	-   11	
SIGNATURE OF CO	MPANY REPRESE	NTATIVE	DAT		

REVISED 10/11/94

# DESCRIPTION OF PROJECT

**Project Title:** 

Landscape and Lawn Maintenance

**Project Number:** 

RQPM1200008

Department:

Procurement Management

**Estimated Cost:** 

\$90,000.00

#### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

#### 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

#### 3.3 MAINTENANCE TASKS

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

# A. Turf Mowing

- 1. Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf area before mowing.
- 2. Vendor(s) shall insure a smooth surface appearance without scalping or leaving any "missed" uncut grass. Mowing shall be from pavement to pavement including swales in public right-of-ways.
- 3. Vendor(s) shall use the following mowers:
  - · Reel mowers with rollers on Hybrid Bermuda grass
  - · Reel mowers with rollers or rotary mowers on St. Augustine grass
  - Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the mower blade.
- 5. Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- 6. Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- 7. Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- 8. Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as mowed or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

#### **B.** Turf Trimming

- Vendor(s) shall trim the grass during, or as an immediate operation following mowing.
- 2. Vendor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system fixtures to assure their proper water delivery function.

# C. Turf Edging

- 1. Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- Turf edging as shrub beds, flower beds, ground cover beds, hedges, or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- 3. Vendor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- 5. Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

6. Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

#### D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

#### E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

#### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- 1. Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- 2. Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Vendor(s) shall use clean sharp cutting tools designed for pruning; do <u>not</u> use machetes for any pruning or trimming.
- 4. Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ inches diameter.
- 6. Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- 7. Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

#### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

#### H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Dead and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- 2. Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

#### I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- 1. Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, <u>minimum</u> in areas such as canal banks, drainage areas, or rip-rapped areas.

4. Vendor(s) shall remove weeds from walkway curbs, gutter expansion joints, and along fence lines as needed or at least once a month, or as directed by the user department.

### J. <u>Disease and Pest Control (reporting requirements)</u>

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. <u>The report</u> shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- 5. Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)

Do you have prior experience satisfying the above stated? Yes V No

### 3.4 Fertilization

- Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- 3. Vendor(s) will insure that the area being fertilized is clearly marked, in order to prevent inconvenience or illness to individuals. All excess fertilizer must be removed before the job is considered complete.
- 4. Fertilization will include the application of micronutrients (nitrogen, calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- 5. Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- 6. Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

### A. Turf Fertilization

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

- 1. Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- 2. Minimum specification for annual fertilization of St. Augustine not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

### B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

### Do you have prior experience satisfying the above stated? Yes V No

### 3.5 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - 2. Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - · Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experience satisfying the above stated? Yes / No

\*This information is REQUIRED along with the signed Verification Form

### **QUESTIONNAIRE**

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary market(s) served / serve.  Dirich has been in Ousiness  Sincl 1998. The primary market like.  Surve are lain Maintenance and the primary market(s)  Provide a detailed description of at least three (3) comparable contracts which your firm has (either) ongoing or completed within the past five (5) years that relates to the scopes of work detailed in this project
a. Name of Client: LMC Belle Glade HUSPITAI  Contract duration 1year maintenance  Contact name and number Earl Mobre 561-994-6571
b. Name of Client: Key West air port Installation Contract duration 4 months Contact name and number Tracy Bruce 772-233-2101
c. Name of Client: Jode Residence on Brickell Contract duration 242015 Contact name and number 5/11/19 EVVO 305-533-1945
Please provide any additional information that supports your ability to quality for award of subject contract,  USI IS a full Service operation, comprised of landscape development lanen maintenance and nursery operation.  We understand which there to do the right job and most important customer satisfaction. You may visit our website at which it is about who was are and the kinder of work intered at 1 look torrulard to hearing from you in the relax future.
company along with licenses and certifications



Small Business Development 111 NW 1st Street • 19th Floor Miami, Florida 33128-1906

T 305-375-3111 F 305-375-3160

miamidade.gov

January 20, 2011

Mr. Juan Masson U S INTERMED CORP. 17832 SW 176th St Miami, FL 33187-0000

Dear Mr. Masson:

CERT. NO: 12396

APPROVAL DATE(s): 01/20/2011 - MICRO/SBE

EXPIRATION DATE: 01/31/2012

The Department of Small Business Development (SBD) has completed the review of your application and attachments submitted for certification. Your firm is officially certified as a Micro/Small Business Enterprise (MICRO/SBE) in the categories listed below.

This certification is valid for twelve (12) months, which will expire on January 31, 2012. This certification affords your company the opportunity to benefit from participation in county contracts with small business measures. Please note the trade categories listed below. These are the only sheltered market areas that your company is eligible to bid or participate in under your current certification.

If any changes occur within your company during the certification period (such as ownership, address, telephone number, trade category, licensing, technical certification, bonding capacity, or if the business ceases to exist) you are required to notify this department within 30 days in writing. It is of critical importance that current information regarding your company be maintained. All inquiries or changes related to this certification should be directed to Coralee Walkine-Taylor at coralee@miamidade.gov in the Certification Unit. An application for re-certification must be submitted and forwarded to this office four (4) weeks prior to the referenced expiration date. Should your firm fail to re-certify, or lose its certification for any reason, the ability to work on contracts with measures will be affected. Thank you for doing business with Miami-Dade County.

Sincerely,

Penelope Townsley

Director

CATEGORIES: (Your firm may bid or participate on contracts only under these categories)
GROUNDS MAINTENANCE: MOWING, EDGING, PLANT (NOT TREE) TRIMMING, ETC. (MICRO/SBE)
LANDSCAPING (INCLUDING DESIGN, FERTILIZING, PLANTING, ETC., BUT NOT GROUNDS MAINTENANCE OR TREE
TRIMMING SERVICES) (MICRO/SBE)
TREE TRIMMING AND PRUNING SERVICES (MICRO/SBE)

DBDR0020 v20101108



Carlos Alvarez, Mayor

Small Business Development 111 NW 1st Street • 19th Floor Miami, Florida 33128-1906 T 305-375-3111 F 305-375-3160

miamidade.gov

CERT. NO: 12422 ANNIVERSARY DATE: 01/20/2012

January 20, 2011

Mr. Juan Masson U S INTERMED CORP. 17832 SW 176th St Miami, FL 33187-0000

Dear Mr. Masson:

The Department of Small Business Development (SBD) has completed the review of your application and the attachments submitted for certification. Your firm is officially certified as a Disadvantaged Business Enterprise (DBE) in accordance with the State of Florida Unified Certification Program (UCP) approved by the U.S. Department of Transportation (FDOT) in the categories listed below. This certification affords your company the opportunity to participate in contracts throughout the State of Florida with DBE measures.

Your DBE certification requires you to complete a Continuing Eligibility affidavit annually. To ensure timely processing the Continuing Eligibility affidavit is accessible at http://www.miamidade.gov/sba/library/continuing\_eligibility\_package.pdf. A hard copy is available upon request and may be sent to you via mail or facsimile. Failure to complete and submit the required affidavit with the required supporting documents on or before your anniversary date may result in the removal of your company from the Florida DBE Unified Certification Program.

If any changes occur within your company during the certified period (such as ownership, address, telephone number, trade category, licensing, technical certification, bonding capacity, or if the business ceases to exist) you are required to notify this department within 30 days in writing. It is of critical importance that the current information regarding your company be maintained. All inquiries or changes related to this certification should be directed to Coralee Walkine-Taylor in the Certification Unit.

Should you have questions regarding your firm's certification, Coralee Walkine-Taylor will be pleased to assist you.

We look forward to your participation and success in Miami-Dade County's disadvantaged business enterprise programs.

Si<del>nc</del>erely,

Perfeldpe Townsley

Di ector

CATEGORIES: (Your firm may bid or participate on contracts only under these categories)
NURSERY, GARDEN CENTER, AND FARM SUPPLY STORES (DBE)
LANDSCAPING SERVICES (DBE)

cc: Coralee Walkine-Taylor, Certification Specialist

### USI Executive Summary

# US INTERMED CORP. dba USI LANDSCAPING

USI CORP - 16855 SW 208 ST, Miami, FL. 33187

www.usilandscaning.com - (O) 305 253 6330 (F) 305 253-6331

### Agenda

- Introduction to USI Landscaping & Nursery
- Landscape Development
- Lawn Maintenance
- Nursery & Tree farm
- Services Provided
- List of References

### Introduction to USI

nursery and tree farms. Our family-owned and operated enterprise has thrived since its inception in 1992, experiencing continuous development, irrigation construction, landscape maintenance, USI is a full service operation comprised of landscape geometric and geographic growth.

- Green space Professionals
- Highly skilled and experienced team
- Developing long term business relationships.
- Committed to understanding our clients' needs
- Accountability

- High standards of service
- Right mix of landscaping solutions
- Maintain customer satisfaction
  - Competitive pricing
- List of References

# -andscape Development

- Landscape design/build
- Designs that are created with the long-term beauty of your property in mind
- Intelligent design and coordination that will minimize disruption to your property
- All of our designs are created with maintenance in mind
- Designs that are created with the long-term beauty of your property in mind
- More accurate estimates based on a thorough knowledge of your site and our design
- Coordinated installation of hard and soft-scape, including working with other trades on site
- Fully integrated turn-key service from design to project completion
- A committed work force that derives satisfaction from a job well done

### Lawn Maintenance

- When you hire us you are hiring a professional lawn care service.
- All properties maintained by USI are visited on a weekly basis by a quality assurance staff.
- We are a totally complete lawn care service company.
- Teamwork is an important concept we feel gets the job done.

# Nursery & Tree farm

- affiliated partners, combined with our brokerage division help to Our more than 75 acres of nursery and tree farms with make **USI** a leader in the design/build industry.
- By maintaining an extensive and wide variety of inventory, we are able to sustain and pass along our competitive pricing.
- Our seasoned quality control staff runs our state-registered nurseries with the aim of surpassing client requirements.
- Thanks to our large fleet of company vehicles, we offer statewide delivery to meet clients' working schedules.

### Services Provided

- Green space consultation and total landscape construction
- Nursery wholesale/retail
- Maintenance
- Contract growers and planners
- Designing / Build & Installation
- Irrigation installation and repairs
- Fertilization

### Other Services:

- Storm preparation and recovery
- Paver systems installation
- **Entry Features**
- Hardscape Construction

## ist of References

• Lakeside Medical Center \$218,800.00
Belle Glade, Florida Sept 2009 – Sept. 2012
Maintenance Glades General Hospital
Nancy O'Neal, LHRM (561) 996 – 6571

 Villa Regina Condominiums \$40,800.00
 Brickell, Florida
 March 2009 – March 2011
 Maintenance
 Continental Group
 Ariel Jaimes Community Association Mgr. (305) 854 - 1581

 Villa Regina Condominiums \$163,980.00
 Brickell, Florida
 Present – Sept – 2008
 Landscape Installation
 Continental Group
 Ariel Jaimes Community Association Mgr. (305) 854 - 1581

Continental Group Silvia Erro Community Association Mgr. (305) 533 - 1945

June 1, 2010 - Present

Maintenance

Brickell, Florida

\$37,000.00

Jade Residence

## ist of References

Belle Glade Hospital \$429,000.00

Belle Glade, Florida

May 2008 - Present

Landscape Installation

Nabil El-Kalaani, Assistant Project Manager Skanska USA Building, Inc.

(561)993 - 0102

Water Place at Woodmont Condominiums

\$163,000.00

Famarac, FL

Date Completed: October 2007

Design / Build Installation, Tree Trimming &

Irrigation

Harry Bookey

President / ČEO, BH Management (515) 865 - 8261

Key West Airport Terminal

\$97,000.00

Sept. 2008 - Present Key West, Florida

Landscape Installation

Bruce Harkness - Project Manager

Morganti Group

(305) 292 - 5969

## ist of References

LakeShore Apartments

\$170,583.00

West Palm Beach, FL.

Date Completed: January 2007

Design / Build Installation, Tree Trimming &

Irrigation

Harry Bookey

President / CEO, BH Management

(515)865 - 8261

Three Palms Apartments

\$ 349,000.00

Lutz, Florida

Date Completed: May 2007

Design / Build Installation, Tree Trimming & Irrigation

David Skinner

Vice President

(305) 610 - 6591

Banyan Lakes Condominiums

\$ 1,446,689.00

Boca Raton, FL

Date Completed: 2004 - 2006

Design / Build Installation, Tree Trimming &

Irrigation

David Skinner

Vice President, BH Management

(305) 610 - 6591

Preserve at Deer Park

\$ 245,000.00

Lutz, Florida

Dater Completed: September 2007

Design / Build Installation, Tree Trimming & Irrigation

David Skinner

(305) 610 - 6591

### Walters, Vivian (SBD)

From:

Usijoana@aol.com

Sent:

Tuesday, October 18, 2011 8:10 PM

To:

Walters, Vivian (SBD)

Subject:

Landscape & Lawn Maintenance Project No. RQPM1200008

Attachments:

Landscape & Maintenance (Project).pdf; USI BIO for Miami Dade SBE.pdf

Dear Mr. Walter,

Thank you for inviting my company to bid your project, Attached is the verification along with a brief bio of my company. I would like for you to visit our web-site www.usilandscaping.com and see some of the work we do.

Once again thank you for the opportunity and look forward to hearing from you in the near the future.

Respectfully Yours,

Yoania C. Masson USI Corp Landscaping & Nursery (O) 305.253.6330 (F) 305.253.6331 (C) 305-986-2496 1.888.404.4USI

Web site: www.usilandscaping.com

Consider the environment before printing this email.....

·			

PAGE 01/10

1746 NW 19 Street Homestead, FI 33030 Ph.: 786-246-2268 Fax: 305-245-8397

3052458397





Urgent	☐ For Review	□ Please Comment	□ Please Reply	☐ Please Recycle
Re:		<b>CC</b> I		
		vare:	10/17/11	
Phone:		Date:	40/47/44	, <u>, , , , , , , , , , , , , , , , , , </u>
Fax:		Pages	± 10	
To: Vivian \	Walters	From:	Edith Diaz	

10 14/2011 11:15 AM FROM: Fax SBD TO: 993052450397 PAGE: 003 OF 011

### VERIFICATION OF AVAILABILITY

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1st STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITL 3 AND NUMBER:

Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds
   Me intended or Tree Trimming Services)

UNIQUE FOR	IAGE ZAK BUSINESS EN	TERPRISE	Certifica	tion Expires: 1/3/ DA	<u>رامد </u> TE
1746 NW	19 ST	/YOMESTEAD	FC	<i>33</i> 535	
ADDRESS		CITY	·	ZIP CODE	
Telephone: 796'e		P Bonding Cap	-	J <u>/A</u>	
PRINT NAM	E AND TITL	E			
signature of	COMPANY R	EPRESENTATIVE	-	10/11/11 DATE	<del></del>

REVISED 10/11/94

1 1/14/2011 11:15 AM FROM: Fax SBD TC: 993052458397 PAGE: 004 OF 011

### **DESCRIPTION OF PROJECT**

Project Title:

Landscape and Lawn Maintenance

**Project Number:** 

RQPM1200008

Department:

Procurement Management

**Estimated Cost:** 

\$90,000.00

### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide rou ine grounds maintenance including: mowing, edging, mulching, pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

Ë

### 3.2 WORK SCHEDULE

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled vorking hours of each Library. Vendor(s) shall establish a schedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

### 3.3 MAINTENA VCE TASKS

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. Liuring the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

### A. Turf Mo wing

- Vent or(s) shall remove all litter and debris, including broken glass, rocks, and trask from turf area before mowing.
- Vent or(s) shall insure a smooth surface appearance without scalping or leaving
  any "missed" uncut grass. Mowing shall be from pavement to pavement
  including swales in public right-of-ways.
- 3. Vent or(s) shall use the following mowers:
  - F.eel mowers with rollers on Hybrid Bermuda grass
  - F.eel mowers with rollers or rotary mowers on St. Augustine grass
  - F.eel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

10 14/2011 11:15 AM FROM: FRE SBD TO: 993052458397 PAGE: 005 OF 011

- 4. Vencor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the movver blade.
- 5. Vent or(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- Venilor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as movied or trimmed.
- 9. Ven lor(s) shall not mow when weather or conditions will result in damaged turf.

### B. Turf Tri mming

- 1. Ven lor(s) shall trim the grass during, or as an immediate operation following moving.
- 2. Ven lor(s) shall trim the grass by hand, hand power shear or rotary nylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is mowed.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads and other irrigation system fixtures to assure their proper water delivery function.

### C. Turf Ec ging

- Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- 2. Tur edging as shrub beds, flower beds, ground cover beds, hedges, or arcund trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every moving for uniform appearance.
- 3. Ver dor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- Vendor(s) shall create the circle on the trees that do not have it.
- Vendor(s) shall edge the turf approximately 10 inches out from the drip line of shrubs and hedges.

1:/14/2011 11:15 AM FROM: Fax SBD TC: 993052458397 PAGE: 006 OF 011

 Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

### D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

### E. Shrub, Hedge and Ground Pruning

Vendors) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and ornamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a height of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- 1. Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- Venior(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Ven tor(s) shall use clean sharp cutting tools designed for pruning; do <u>not</u> use machetes for any pruning or trimming.
- 4. Ven lor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs
- 5. Vendor(s) shall paint with approved tree healing compound all cuts exceeding 1½ notes diameter.
- Vendor(s) shall remove vines, debris, signs or any other materials attached to the .
   trunt.
- Vendor(s) shall remove dead or broken branches, including dead palm fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

10 14/2011 13:15 AM FROM: Fax SBD TO: 993052458397 PAGE: 007 OF 011

### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

### H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Deat and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty mainter ance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remadied by the vendor. If damages result in loss of tree, the damaged tree shall be removed and replaced.
- 2. Min or shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leacning shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

### J. Weed <u>○ontrol</u>

All land scaped areas within the specified areas including lawns, shrubs and ground cover tieds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care
  operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flov/er beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Ve idor(s) shall cut back weeds four (4) times a year, minimum in areas such as call all banks, drainage areas, of rip (apped areas).

1 1/14/2011 11:15 AM FROM: Fax SED TO: 993052458397 PAGE: 008 OF Oll

4. Ver dor(s) shall remove weeds from walkway curbs, gutter expansion joints, and alor g fence lines as needed or at least once a month, or as directed by the user department.

### J. Dis sase and Pest Control (reporting requirements)

Vendor's) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. The report shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- Sci edule for applications (Only products approved by the Federal Environmental Projection Agency (EPA) and the State of Florida shall recommended)

Do you hat e prior experience satisfying the above stated? Yes No \_\_\_\_

### 3,4 Fertilization

- 1. Ver dor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fert lization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- Veridor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used. Permission to perform this activity must be received before the work can begin.
- Vendor(s) will insure that the area being fertilized is clearly marked, in order to
  prevent inconvenience or illness to individuals. All excess fertilizer must be
  removed before the job is considered complete.
- 4. Fer:ilization will include the application of micronutrients (nitrogen, calcium, phr sphorous, magnesium, and sulphur) and micronutrients (including iron, cor per, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- 5. Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- 6. Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A represer tative from the user department may be present during application of fertilizer.

### A. Tu f Fertilization

The at nual maintenance fertilization program presented by the vendor for turi will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

10 14/2011 11:15 AM FROM: FAR SBD TO: 993052458397 PAGE: 009 OF 011

- 1. Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. I requency for application of fertilization shall be twice (2 times) per year.
- 2. Mini num specification for annual fertilization of St. Augustine not under irrigation
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, shosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Min mum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

### B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 : quare feet of organic with Milorganite or approved equal fertilizer applied in April at d in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum require ment of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

Do you have prior experience satisfying the above stated? Yes 📈 No 🔻

### 3.5 Gardenin | Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

1(/14/2011 11:15 AM FROM: Fax SRD TO- 993052458397 PAGE: 010 OF 011

- Ven ior(s) shall blow the leaves from all flower beds and mulches areas.
- 5. Ven ior(s) shall maintain the swale areas.
- B. The butterfy garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to
  - /endors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have prior experience safts ying the above stated? Yes 🗸 No

\*This information is REQUIRED along with the signed Verification Form

1-/14/2011 11:15 AM FROM: Fax SBD TO: 993052458397 FAGE: 011 OF 011

### QUESTIONNAIRE

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of ininimum requirements that must be answered by the bidder and aids SBD in realizing the maxit rum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary market(s)
served / serve.
WE BEEANT INCORPORATED IN 2007
Provide a detailed description of at least three (3) comparable contracts which your firm has (either) ongoing or completed within the past five (5) years that relates to the scopes of work detailed in this project
a. Name of Client: UCB PROPERTY MENT
Contract duration 2 V.L.S  Contact name and number SANDRA RISH MAGUE 3.35 - 378- 7065
b. Name of Client: WESTA CARN GABLES
Contract duration 5 YAS  Contact name and number DAVID COATINA 305-569-650c
c. Name of Client: PAN AMERICAN 6.  Contract duration 2006 - 2011  Contact name and number LUPE GANZAGE 305-461-0563
Please provide any additional information that supports your ability to quality for award of subject contract.
RESTOURDIES: DOLORES LOTTA OUTSIDE PLONES  (RAZY ABOUT YOU MAINTE MANGE
CALLOS & XLAW OR NIND: 305-403-3103

	÷		

10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428011 PAGE: 003 OF 011

### VERIFICATION OF AVAILABILITY

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1st Street, 19<sup>th</sup> Floor MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER:

Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT:

\$90,000.00 (one (1) year with one (1) year ptr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds

Maintenance or Tree Trimming Services)

NAME OF SMALL BUSINESS ENTERPRISE  DAT	E
20280 SW 190 mstr. Miam, FL. 33187	<u>+</u>
ADDRESS CITY ZIP CODE	•
ADDRESS	
Telephone: 205-971-9853 Bonding Capacity: N/A	:
A Company of the Comp	:
Police President	:
PRINT NAME AND TITLE	
	:
10-18-11	: <del></del>
SIGNATURE OF COMPANY REPRESENTATIVE DATE	
SIGNATURE OF CONSTRUCTION	:

REVISED 10/11/94

10/14/2011 11:10 RM FROM: FAR SBD TO: 997862428011 PAGE: 004 OF 011

### DESCRIPTION OF PROJECT

Project Title:

Landscape and Lawn Maintenance

Project Number:

ROPM1200008

Department:

Procurement Management

**Estimated Cost:** 

\$90,000.00

### SCOPE

The purpose of this solicitation is to establish a contract for the purchase of landscaping and lawn maintenance services for Miami-Dade County. Vendor(s) shall provide routine grounds maintenance including: mowing, edging, mulching, , pruning and trimming trees, removing weeds, fertilizing, cleaning-up, removing trash and litter.

### WORK SCHEDULE 3.2

Services may NOT be started before 8:00 A.M.

Vendor(s) shall accomplish all landscape maintenance requirements during the scheduled working hours of each Library. Vendor(s) shall establish a softedule of routine work to be followed at each branch. This schedule must be submitted to the Library department on an annual basis at the start of the contract. The schedule shall include the dates and times for each site for the work listed throughout the solicitation. Vendors shall notify each branch affected or the Library department of any changes in this schedule at least twenty-four (24) hours in advance of the change. Vendor(s) shall not interfere with normal pedestrian traffic on adjacent sidewalks or vehicular traffic on adjacent streets. In order to maintain the property in a uniform appearance, all work shall be completed in a continuous manner. This means that no work should be started at any location which cannot be finished the same or the next day.

### MAINTENANCE TASKS 3,3

Vendor(s) shall perform 18 cycles per year unless otherwise indicated by the Site Manager. During the rainy season May through October two (2) cuts per month; during the dry season November through April one (1) cut per month.

### A. Turf Mowing

- 1. Vendor(s) shall remove all litter and debris, including broken glass, rocks, and trash from turf area before mowing.
- 2. Vendor(s) shall insure a smooth surface appearance without scalping or leaving Mowing shall be from pavement to pavement any "missed" uncut grass. including swales in public right-of-ways.
- Vendor(s) shall use the following mowers:
  - Reel mowers with rollers on Hybrid Bermuda grass
  - Reel mowers with rollers or rotary mowers on St. Augustine grass
  - Reel mowers with rollers, rotary mowers or fail mowers on Bahia grass.

10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428031 PAGE: 005 OF 011

- 4. Vendor(s) shall adjust mowers to the proper cutting height and level for the kind of grass and current condition of the turf. Mower blade height adjustment is to be measured from a level floor surface to the parallel and level plane of the blade.
- Vendor(s) shall perform mowing so that no more than one third (1/3) of the grass blade is removed during mowing in returning the grass to the accepted height.
- Vendor(s) shall use mower blades that are sharp enough to cut, rather than to tear grass blades.
- Vendor(s) shall be careful so as not to "batik" trees or shrubs, or to intrude into ground cover beds, or damage sprinkler heads, curbs and other facilities.
- 8. Vendor(s) shall remove grass clipping and debris caused by mowing or trimming from adjacent walks, drives, gutters and curbs or surfaces on the same day as moved or trimmed.
- 9. Vendor(s) shall not mow when weather or conditions will result in damaged turf.

### B. Turf Trimming

- Vendor(s) shall trim the grass during, or as an immediate operation mowing.
- Vendor(s) shall trim the grass by hand, hand power shear or rotary hylon "fish cutting" machines.
- 3. Vendor(s) shall trim the grass at the same height as adjacent turf is moved.
- 4. Vendor(s) shall trim the grass from around all obstacles and vertical surface in the turf such as posts, tress and walls and around sprinkler heads irrigation system fixtures to assure their proper water delivery function.

### C. Turf Edging

- Mechanical edging (vertical trimming) of all turf edges is to be used in all areas including abutting sidewalks, flush paved surfaces, curbs, drives and patios.
- Turf edging as shrub beds, flower beds, ground cover beds, hedges or around trees (where "edging" rather than "trimming") is directed shall be edged with a manual or mechanical edger to a neat vertical uniform line, after every mowing for uniform appearance.
- Vendor(s) shall edge the turf approximately 18 inches around all trees that are in the lawn area creating a circle.
- 4. Vendor(s) shall create the circle on the trees that do not have it.
- Vendor(s) shall edge the turf approximately 10 inches out from the shrubs and hedges.

Oct 18 11 08:55a

PAGE: 006 OF 011 10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428011

6. Dirt and debris produced by edging or trimming will be removed and swept away from adjacent surfaces, from gutters and road surfaces adjacent to roadway medians and scales, on the same day as cut.

### D. Ground Cover Edging

Ground cover beds shall be maintained within their extended bounds and shall not be permitted to encroach into lawns, shrubs' beds or adjacent areas, at the same frequency as mowing for uniform appearance. Wood chips, mulch, gravel and ornamental rocks shall be considered as ground cover.

### E. Shrub, Hedge and Ground Pruning

Vendor(s) shall prune all shrubs, hedges and ground cover plants growing in the work area, at the same frequency for uniform appearance, to maintain plants in a healthy, growing condition and to maintain plant growth within reasonable bounds to prevent encroachment of passageways, walks, streets, views of signs or in any manner deemed objectionable by the individual Site Manager. Planters shall be trimmed and pruned as necessary to provide a uniform appearance. Wood chips, mulch, gravel and omamental rock shall be included and considered as ground cover. This type of ground cover will also be maintained within its intended bounds and not permitted to encroach into lawns, or adjacent areas.

### F. Tree Pruning

Pruning of trees shall consist of the removal of dead and/or broken branches, suckers or sprouts from tree base or below; and pruning to prevent encroachment of branches over streets, into private property, obscuring view of signs or traffic, particularly at road intersection, or interference with lighting, etc. Trees up to a neight of 12 feet shall be included. Vendor shall consult a certified arborist as any improper pruning practices that result in damage to trees will be the vendor's responsibility.

- 1. Vendor(s) shall prune tree branches up to seven (7) feet over walkways and in areas designated by user department.
- 2. Vendor(s) shall prune tree branches up to twelve (12) feet from the ground regardless of size of limb.
- 3. Vendor(s) shall use clean sharp cutting tools designed for pruning; do not use machetes for any pruning or trimming.
- 4. Vendor(s) shall cut limbs flush with trunk to promote healing, leaving no stubs.
- 5. Vendor(s) shall paint with approved tree healing compound all cuts exceeding 11/2 inches diameter.
- 6. Vendor(s) shall remove vines, debris, signs or any other materials attached to the trunk.
- 7. Vendor(s) shall remove dead or broken branches, including dead pain fronds (12 feet high or under) from palm trees and dispose of.
- 8. Vendor(s) shall remove all tree cuttings and dead palm tree fronds from sites on the same day they are cut.

10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428011 PAGE: 007 OF 011

### G. Mulching

Vendor shall apply brown chip mulch two (2) times a year around as indicated by the user department. Sample of the mulch shall be submitted to the user department for approval prior to installation.

### H. Tree and Shrub Replacement

Vendor(s) shall notify the user department immediately after discovery of the following:

- 1. Dead and damaged plants.
- 2. Trees or plants that require staking, guying and set-up.
- 3. Trees that have died or have blown or knocked over.

Damages incurred to existing plants and trees due to the vendors' faulty maintenance or negligence as determined by the user department shall be repaired or replaced at the vendors' expense as follows:

- Minor tree damage such as bark lost from impact or mowing equipment shall be remedied by the vendor. If damages result in loss of tree, the damaged be removed and replaced.
- 2. Minor shrub damage may be corrected by appropriate pruning. Major damage shall be corrected by removal of the damaged shrub and replacement.

Replacement shall be made by the vendor(s) in the kind and size of tree and condition. Where there is a difference in value between the lost tree and plant and, the replacement, this difference will be deducted from the vendor(s) payment.

Damage resulting from chemical operations, either spray drift, or lateral leaching shall be corrected using the above maintenance practices and the soil conditioned to insure its ability to support plant life.

Vendor(s) shall remove and properly dispose of all dead or injured trees with prior approval from the user department.

### I. Weed Control

All landscaped areas within the specified areas including lawns, shrubs and ground cover beds, planters, swales, walkways, gutters and areas covered with gravel rock or wood chips shall be kept free of weeds at all times. A complete removal of all weed growth shall be accomplished every thirty (30) days on a continuing basis, as weeds appear. For the purpose of this specification a weed will be considered as any undesirable or misplaced plant. Weeds shall be controlled either by hand, mechanical or chemical methods.

- Vendor(s) shall mow, trim or edge weeds from turf areas as a part of turf care operations.
- Vendor(s) shall manually remove weeds from shrubs, hedges, ground cover or flower beds, unless chemical or mechanical means are specifically authorized by the user department.
- 3. Vendor(s) shall cut back weeds four (4) times a year, minimum in areas such as canal banks, dramage areas, or increasing areas.

10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428011 PAGE: 008 OF 011

 Vendor(s) shall remove weeds from walkway curbs, gutter expansion pints, and along fence lines as needed or at least once a month, or as directed by the user department.

### J. Disease and Pest Control (reporting requirements)

Vendor(s) shall regularly inspect all landscape areas for presence of disease infestation and shall report it to the user department, within four (4) days. The report shall include the following:

- 1. Name of the plant affected
- 2. Name of pest or disease
- 3. Name of the chemical to be used for treatment
- 4. Method of application
- 5. Schedule for applications (Only products approved by the Federal Environmental Protection Agency (EPA) and the State of Florida shall recommended)

### Do you have prior experience satisfying the above stated? Y

### 3.4 Fertilization

- 1. Vendor(s) shall prepare and submit for approval to the user department within ten (10) days after award of this contract, a complete annual maintenance fertilization program for the turf, shrubs, ground cover, flowers, and trees located in various locations that will assure plant growth and health within actual site conditions. The plan will indicate the kinds of fertilizers by guaranteed analysis, and rate of application, method of application, and schedule of applications.
- Vendor(s) shall notify the user department at least three (3) days in advance of the dates and sites that will be fertilized and the type of fertilizer to be used.
   Permission to perform this activity must be received before the work can begin.
- Vendor(s) will insure that the area being fertilized is clearly marked, in order to prevent inconvenience or illness to individuals. All excess fertilizer removed before the job is considered complete.
- Fertilization will include the application of micronutrients (nitrogen calcium, phosphorous, magnesium, and sulphur) and micronutrients (including iron, copper, magnets, molybdenum, zinc, boron) as may be required by specific plants for health and vigor.
- 5. Vendor(s) shall apply fertilizers by appropriate methods such as surface broadcasting, dry material, drench spray, or betting soluble or liquid material.
- Vendor(s) shall supply only new fertilizer materials purchased for a specific use.

A representative from the user department may be present during application of fertilizer.

### A. Turf Fertilization

The annual maintenance fertilization program presented by the vendor for turf will provide for nutrition of 1) Bermuda grass under irrigation, 2) St. Augustine grass under irrigation, 3) Bermuda grass not under irrigation. The annual maintenance fertilization program will be prepared in accordance with recommendations contained in the Florida Cooperative Extension Service, University of Florida publication: General Recommendation for Fertilization of Turf Grasses in Florida Soils #5-3M-79.

10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428011 PAGE: 009 OF 011

- 1. Minimum specification for annual fertilization of St. Augustine grass under irrigation are:
  - a. Application of 16-4-8 acid-loving, sulfur coated urea (SCU) fertilizer at the rate of 6 pounds per 1,000 square feet of turf.
  - b. Frequency for application of fertilization shall be twice (2 times) per year.
- 2. Minimum specification for annual fertilization of St. Augustine not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and three (3) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of applications: two (2); one (1) in March or April, and the other in October or November, shall be "complete mix fertilizer" containing nitrogen, phosphorous and potash, with at least 25% of nitrogen in organic form.
- 3. Minimum specifications for annual fertilization of Bermuda grass not under irrigation are:
  - a. Apply three (3) pounds of actual nitrogen; one (1) pound of phosphoric acid, and two (2) pounds of potash per 1,000 square feet of turf per year.
  - b. Frequency of application: one (1) at the beginning of rainy season (May) shall be "complete mix fertilizer" containing nitrogen, phosphorous, and potash, with at least 80% of nitrogen in organic form.

### B. Shrubs, Ground Covers, Flower Beds and Hedges Fertilization

Shrubs, ground covers, flower beds and hedges shall be fertilized with 6 pounds per 1,000 square feet of organic with Milorganite or approved equal fertilizer applied in April and in September.

Manufacturer's brand name is used for the sole purpose of establishing minimum requirement of level of quality, standards of performance and is in no way intended to prohibit the bidding of other manufacturers.

Fertilization applications will be made by measured broadcasting of dry material, or measured spray or drench application of soluble or liquid material.

### C. Trees / Palms Fertilization

Trees and palms shall be fertilized in April or May and September. Trees shall be fertilized with 3 pounds of 15-5-8 granular release fertilizer per inch of tree diameter at breast height broadcast evenly under the drip line of the tree. Palms shall be fertilized with 10-5-5 special palm fertilizer, containing necessary micro and macro elements at a ratio of (3) pounds per palm up to six (6) feet in height and up to but not more than ten (10) pounds for larger palms.

### Do you have prior experience satisfying the above stated? Yes 🗸 No.

### 3.5 Gardening Services

- A. Gardening services are to be performed including the following:
  - 1. Vendor(s) shall hand weed all the flower beds, mulched areas and planters
  - 2. Vendor(s) shall trim all the decorative hedges with a trimmer made to trim delicate hedges not with a modified saw or weed hacker. The height and shape will change periodically as per the user departments' instructions.
  - Vendor(s) shall remove the dead branches and canes. Vendor(s) shall remove forced suckers.

10/14/2011 11:10 AM FROM: Fax SBD TO: 997862428011 PAGE: 010 OF 011

- 4. Vendor(s) shall blow the leaves from all flower beds and mulches areas
- 5. Vendor(s) shall maintain the swale areas.
- B. The butterfly garden at the Coral Gables Branch needs special care in order not to disturb the balance between the butterfly's and the plants that they feed from / are attracted to.
  - Vendors shall do selective pruning at each visit or as required.
- C. The maintain a man made pond at the Key Biscayne Branch requires regular cleaning, removal of surface debris with every visit and twice a year removal of the bottom waste that needs to be dredged, cleaned of debris in order to maintain the current ecosystem which inhabits the area.

Do you have peror experience satisfying the above stated? Yes



\*This information is REQUIRED along with the signed Verification Form

10/14/2011 31:10 AM FROM: Fax SBD TO: 997862428011 PAGE: 011 OF 011

### QUESTIONNAIRE

The Division of Small Business Development (SBD) is requesting information on the Bidder's experience and capability to provide services requested under this project. The questions represent a list of minimum requirements that must be answered by the bidder and aids SBD in realizing the maximum opportunity in identifying a goal.

Provide the number of years that your firm has been in existence and the primary marks	43)
served/serve.	D. L. I.I.
In business since 1995 & serviced Miami Dad	e liublic Library
Miami Dape water and Sewer. Miami Dape Police Department.	<u> </u>
Migral Dane Police Department.	<u>:</u>
Provide a detailed description of at least three (3) comparable contracts which your firm	has
(either) ongoing or completed within the past five (5) years that relates to the scopes of	work
detailed in this project	
a. Name of Client: Miami Dabe Public L	brary
Contract duration 5 Years	1
Contact name and number Leo Gomez 305-	775 FAF
	1 *
b. Name of Client: Miami Dade Water an	4 6
Contract duration 5 Years	asewer
Contact name and number Jose Martin 1786	1 = = = = = = = = = = = = = = = = = = =
c. Name of Client: Miami Dane Police Do	partment
Contract duration 4 1-00 (5	
Contact name and number TOP Glasses	(205) 171-171
Contact name and number Toe Shwagger	001711 1160
Please provide any additional information that supports your ability to quality for award	
subject contract.	
Stufout Williams	
	<del>                                     </del>
	<u> </u>
	:
	<del></del>

HOWARD SEAL G LANDCLEARING & LAND CLEARING 6600 N.W.27<sup>TH</sup> AVE SUITE#205 MIAMI,FL.33147 OFFICE#305-693-8972 FAX#305-693-8985

COMPANY NAME
ATTN: JOIAN DALTERS DEVOLOR
FAX# 305.375-360
KEF# ( ) ERFICATION OF THE PROPERTY OF THE PRO
TOTAL PAGES 2

### PLEASE CONFIRM RECEIPT

THANK YOU

PO Box 470785, Miami, FL 33147 Office: 305-693-8972 • Part 206-602 0005 • G-W-700 000

### **VERIFICATION OF AVAILABILITY**

DEPARTMENT OF SMALL BUSINESS DEVELOPMENT COMMUNITY BUSINESS ENTERPRISE PROGRAM 111 N.W. 1<sup>st</sup> STREET, 19<sup>TH</sup> FLOOR MIAMI, FLORIDA 33128

PROGRAM COORDINATOR: MR. VIVIAN WALTERS, JR.

I am herewith submitting this letter of verification of availability and capability to bid at such time as this project is advertised. (NOTE: Please provide all the information requested; incomplete and/or incorrect verifications are not acceptable or usable.)

CONTRACT TITLE AND NUMBER: Landscape and Lawn Maintenance

RQPM1200008

CONTRACT ESTIMATED AMOUNT: \$90,000.00 (one (1) year with one (1) year otr.

The above referenced project is being considered for contract measures in the trade categories of:

- 988-36 Grounds Maintenance: Mowing, Edging, Plant (not tree) Trimming
- 988-52 Landscaping (including Design, Fertilizing, Planting, but not Grounds

AND AND CERTY INC.  NAME OF SMALL BUSINESS ENTERPRISE  CErtification Expires: SO SO DATE  DATE  Telephone: SOS 6938972 Bonding Capacity: N/A  PRINT NAME AND TITLE  SIGNATURE OF COMPANY REPRESENTATIVE  DATE  PAGE 10-(1-80)	Maintenance or Tree Trimming Services)	•
NAME OF SMALL BUSINESS ENTERPRISE  OGOO Now - Tologo Minary MA  ADDRESS  CITY  ZIP CODE  Telephone: 30569387 2 Bonding Capacity: N/A  PRINT NAME AND TATLE  PRINT NAME AND TATLE	1 And LAND CEMPIN, IN	»C
ADDRESS  CITY  ZIP CODE  35(4)  Telephone: 305(093897 2)  Bonding Capacity: N/A  PRINT NAME AND TITLE  PRINT NAME AND TITLE		5,3018
Telephone: 305693897 2 Bonding Capacity: N/A  PRINT NAME AND TITLE  PRINT NAME AND TITLE	0000 0000 1 11 11 11 11 11 11 11 11 11 1	Tea
PRINT NAME AND TITLE  PRINT NAME AND TITLE  10-(4.301)	ADDRESS CITY ZIP CODE	3314-
PRINT NAME AND TITLE  10-(4.70)	Telephone: 305693877 2 Bonding Capacity: N/A	
10-(4.301)	Dest bouse Trea	
SIGNATURE OF COMPANY REPRESENTATIVE DATE	PRINT NAME AND TITLE	***************************************
SIGNATURE OF COMPANY REPRESENTATIVE DATE	10-14.90	(1
	SIGNATURE OF COMPANY REPRESENTATIVE DATE	•

REVISED 10/11/94